

MSDS ID: SK-159E

\* \* \* Section 1- Chemical Product and Company Identification \* \* \*

Product Name: Stoko Spray® SureSeat Toilet Seat Cleaner

Product Use: Toilet Seat Cleaner

#### **Company Information**

Evonik Stockhausen Inc.	Phone: Non-emergency # (800) 242-2271
2401 Doyle Street	
Greensboro, NC 27406	Emergency # (800) 424-9300 CHEMTREC (North America)
	Emergency # (703) 527-3887 CHEMTREC (International, call collect)

#### **General Comments**

Emergency telephone numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving the product. All Non-emergency questions should be directed to the Toll Free, Non-Emergency number above.

#### \* \* \* Section 2 - Hazards Identification \* \* \*

#### **Emergency Overview**

This consumer product is a flammable liquid. Sold in small plastic flexible 300ml containers. Its flash point is ~75°F (24°C). Employers must inform workers of the hazards of this product and provide worker training on safe handling procedures.

Potential Health Effects: Eyes

May cause eye irritation.

Potential Health Effects: Skin May cause skin irritation.

Potential Health Effects: Ingestion

Harmful if swallowed.

**Potential Health Effects: Inhalation** 

Not an inhalation hazard under normal use conditions.

**HMIS Ratings:** Health: 1 Fire: 3 Reactivity: 0 Pers. Prot.: B Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

# \* \* \* Section 3 - Composition / Information on Ingredients \* \* \*

CAS#	Component
64-17-5	Ethyl alcohol
67-56-1	Methyl alcohol

#### **Component Information/Information on Non-Hazardous Components**

This product is a consumer product and is therefore exempt from OSHA (Hazard Communication), EPA (TSCA statements) and WHMIS (CANADA), labels and material safety data sheet (MSDS) requirements, but not from worker education provisions. However, it is not exempt from EPA TSCA IUR reporting criteria. Employers must inform workers of the hazards of this product and provide worker training on safe handling procedures See container label regarding proper handling and use of this product.

Ingredients are listed in descending order of concentration on the container label.

For OSHA workplace hazards, investigate and read and understand component MSDS's before manufacturing.

Page 1 of 6 Issue Date: 01/27/09 Revision: 1.0000 Print Date: 1/27/2009

MSDS ID: SK-159E

## **Product Name: Stoko Spray SureSeat Toilet Seat Cleaner**

All ingredients are listed on TSCA 40CFR700.

#### \* \* \* Section 4 - First Aid Measures \* \* \*

First Aid: Eyes

Flush immediately with water for at least 15 minutes. Do not rub eyes. Get medical attention if discomfort

persists. First Aid: Skin

None. In case of persistent skin irritation, seek medical attention.

First Aid: Ingestion

May be harmful if swallowed. If material is swallowed, get medical attention or advice.

First Aid: Inhalation

If inhaled, move to source of fresh air.

First Aid: Notes to Physician

Product contains denatured alcohol.

# \* \* \* Section 5 - Fire Fighting Measures \* \* \*

#### **General Fire Hazards**

This product is flammable.

Upper Flammable Limit (UFL): Not determined Lower Flammable Limit (LFL): Not determined Method Used: Pensky Marten Closed Cup (PMCC)

Flash Point: 75.2°F (24° C)
Flammability Classification:
Auto Ignition: Not determined
Hazardous Combustion Products

On thermal decomposition oxides of carbon and nitrogen may be formed.

**Extinguishing Media** 

Foam and carbon dioxide are most effective.

Fire Fighting Equipment/Instructions

Firefighters should wear full-face, self contained breathing apparatus and impervious protective clothing.

**NFPA Ratings:** Health: 1 Fire: 3 Reactivity: 0 Other: B Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### \* \* \* Section 6 - Accidental Release Measures \* \* \*

#### **Containment Procedures**

For small spills: Use inert dry absorbents. Remove all ignition sources.

#### **Clean-Up Procedures**

Collect absorbent with product and place in an appropriate container for disposal in accordance with all applicable local, state and federal waste management regulations.

#### **Evacuation Procedures**

Not applicable to 300ml dispenser product.

#### **Special Procedures**

None.

Page 2 of 6 Issue Date: 01/27/09 Revision: 1.0000 Print Date: 1/27/2009

MSDS ID: SK-159E

Product Name: Stoko Spray SureSeat Toilet Seat Cleaner

# \* \* \* Section 7 - Handling and Storage \* \* \*

#### **Handling Procedures**

Handle as a skin and eye irritant. Keep out of reach of children. Keep container closed. Do not smoke when using.

#### **Storage Procedures**

Containers which are open must be properly resealed and kept upright to prevent leakage. Do not store near sources of ignition.

# \* \* \* Section 8 - Exposure Controls / Personal Protection \* \* \*

#### **A: Product Component Exposure Limits**

Ethyl alcohol (64-17-5)

	10 0
OSHA:	1000 ppm TWA; 1900 mg/m3 TWA
ACGIH:	1000 ppm TWA

#### Methyl alcohol (67-56-1)

mouny: alcome	. (6. 66.)
OSHA:   200 ppm TWA; 260 mg/m3 TWA	
ACGIH:	200 ppm TWA

## B: Exposure Limits for Chemicals which may be generated during processing

Ethyl alcohol (64-17-5)

Ethyr alconor (	04 11 0
ACGIH:	1000 ppm TWA
OSHA:	1000 ppm TWA; 1900 mg/m3 TWA
NIOSH:	1000 ppm TWA; 1900 mg/m3 TWA

#### **Engineering Controls**

Consumer product. None necessary.

# PERSONAL PROTECTIVE EQUIPMENT Personal Protective Equipment: Eyes/Face

Avoid eye contact.

Personal Protective Equipment: Skin

Avoid skin contact.

Personal Protective Equipment: Respiratory

None.

**Personal Protective Equipment: General** 

Obey reasonable safety precautions and practice good housekeeping.

# \* \* \* Section 9 - Physical & Chemical Properties \* \* \*

Appearance: Colorless	Odor: Perfume
Physical State: Liquid	<b>pH:</b> 6.0-8.0
Vapor Pressure: Not Established	Vapor Density: Not Established
Boiling Point: >172°F (>78°C)	Melting Point: Not Applicable
Solubility (H2O): Very soluble	Specific Gravity: Not Applicable
Percent Volatile: 30% - 40%	Flash Point 74.2°F (24°C)

Page 3 of 6 Issue Date: 01/27/09 Revision: 1.0000 Print Date: 1/27/2009

MSDS ID: SK-159E

Product Name: Stoko Spray SureSeat Toilet Seat Cleaner

# \* \* \* Section 10 - Chemical Stability & Reactivity Information \* \* \*

#### **Chemical Stability**

Stable under usual application conditions.

**Chemical Stability: Conditions to Avoid** 

Sources of ignition.

Incompatibility

None identified.

**Hazardous Decomposition** 

None identified.

**Hazardous Polymerization** 

Hazardous polymerization will not occur.

# \* \* \* Section 11 - Toxicological Information \* \* \*

#### **Acute and Chronic Toxicity**

### A: General Product Information

Handle as a skin and eye irritant.

#### **B: Product Component Acute Toxicity-LD50/LC50**

Ethyl alcohol (64-17-5)

LD50: Inhalation LC50 Rat: 124.7 mg/L/4H; Oral LD50 Rat: 1501 mg/kg

#### Methyl alcohol (67-56-1)

LD50:	nhalation LC50 Rat: 83.2 mg/L/4H; Inhalation LC50 Rat: 64000 ppm/4H; Oral LD50
	Rat: 5628 mg/kg; Dermal LD50 Rabbit: 15800 mg/kg

#### Carcinogenicity

### **Product Component Carcinogenicity**

Ethyl	alcohol	(64-17-5)
	ACGIH:	A4 - Not Classifiable as a Human Carcinogen

#### Other Toxicological Information

None.

### \* \* \* Section 12 - Ecological Information \* \* \*

#### **Ecotoxicity**

### A: General Product Information

Ecological impacts are not expected with normal use.

## **B: Product Component Analysis - Ecotoxicity - Aquatic Toxicity**

#### **Ethyl alcohol (64-17-5)**

96 Hr LC50 Oncorhynchus mykiss: 12900 mg/L [flow-through] (30 days old); 96 Hr LC50 Pimephales promelas: 14.2 mg/L

#### Methyl alcohol (67-56-1)

96 Hr LC50 *Pimephales promelas*: 29400 mg/L [flow-through] (28 days old); 96 Hr LC50 *Oncorhynchus mykiss*: 13 mg/L (fingerling)

Page 4 of 6 Issue Date: 01/27/09 Revision: 1.0000 Print Date: 1/27/2009

MSDS ID: SK-159E

Product Name: Stoko Spray SureSeat Toilet Seat Cleaner

#### **Environmental Fate**

No information available.

# \* \* \* Section 13 - Disposal Considerations \* \* \*

#### **US EPA Waste Number & Descriptions**

#### **A: General Product Information**

Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

#### **B: Component Waste Numbers**

Methyl alcohol (67-56-1)

RCRA: waste number U154 (Ignitable waste)

#### **Disposal Instructions**

Dispose of empty containers according to all State and Federal environmental regulations. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

# \* \* \* Section 14 - Transportation Information \* \* \*

#### **US Department of Transportation (D.O.T.)**

Consumer product. Exempt from D.O.T. regulations as long as the volume in each package does not exceed five (5) liters.

This product may be classified as a Consumer Commodity ORM-D

#### **IATA**

If shipped by air, this DOT ORM-D classification does not apply and the product must be shipped as a flammable material. Its shipping information is as follows:

Shipping Name: Ethyl alcohol, solution

UN/NA #: 1170 Hazard Class: 3 Packing Group: III

Required Label(s): Flammable

#### Canada:

TDG exempt

# \* \* \* Section 15 - Regulatory Information \* \* \*

#### **US Federal Regulations**

### **A: General Product Information**

The product is packaged and shipped from the manufacturer in 300ml plastic containers. All components are listed in the TSCA inventory.

#### **B: Clean Air Act**

Component	CAS	HAPS
Methyl alcohol	67-56-1	Yes

Page 5 of 6 Issue Date: 01/27/09 Revision: 1.0000 Print Date: 1/27/2009

MSDS ID: SK-159E

Product Name: Stoko Spray SureSeat Toilet Seat Cleaner

#### C: Component Analysis

Methyl alcohol (67-56-1)

Section 313:	1.0 % de minimis concentration
Reportable	5000 lb final RQ; 2270 kg final RQ
Quantity:	

#### **State Regulations**

#### **A: General Product Information**

None identified.

#### **B: Component Analysis - State**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS#	CA	FL	MA	MN	NJ	PA
Ethyl alcohol	64-17-5	Yes	No	Yes	Yes	Yes	Yes
Methyl alcohol	67-56-1	Yes	No	Yes	Yes	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects.

#### **Component Analysis - WHMIS IDL**

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS#	Minimum Concentration
Ethyl alcohol	64-17-5	0.1 %
Methyl alcohol	67-56-1	1 %

#### **Component Analysis - Inventory**

enent in any electrically					
	Component	CAS#	TSCA	CAN	EEC
	Ethyl alcohol	64-17-5	Yes	DSL	EINECS
	Methyl alcohol	67-56-1	Yes	DSL	EINECS

### \* \* \* Section 16 - Other Information \* \* \*

#### Other Information

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

#### **MSDS History**

This is a newly revised MSDS. Section's 2 & 3 have been revised to reflect proposed 2004 ANSI Standards format recommendations for 2007 implementation.

1-27-09 Reviewed with no changes.

**Contact:** Product Safety Compliance Officer

Contact Phone: (800) 242-2271

This is the end of MSDS #: SK-159E