


1. Product and Company Identification

Product Name Professional LYSOL® Disinfectant Toilet Bowl Cleaner - Complete Clean Power
UPC CODES Refer to Section 16
Product use Toilet bowl cleaner
Distributed by Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-338-6167
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 3
Flammability	0
Physical Hazard	1
Personal Protection	D



2. Hazards Identification

Emergency overview DANGER
 CORROSIVE TO EYES AND SKIN
 This product may be harmful or fatal if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing mists or vapors. Fumes are corrosive to metal.
 KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Causes irreversible eye damage.

Skin Causes burns.
 Not expected to be a skin sensitizer.

Inhalation Do not breathe vapor or fumes.
 Use only in a well ventilated area.

Ingestion Harmful or fatal if swallowed.

Target organs Eyes. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.

Signs and symptoms The product causes burns of eyes, skin and mucous membranes.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects Components of this product have been identified as having potential environmental concerns.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Hydrogen chloride	7647-01-0	10 - 20
Alcohols, C12-16, ethoxylated	68551-12-2	1 - 2.5
Ethoxylated aliphatic amines	61791-26-2	1 - 2.5

4. First Aid Measures

First aid procedures

Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Rinse immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

Notes to physician

If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the affected person appropriately. Symptoms may be delayed.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties

Not flammable by OSHA criteria.

Extinguishing media

Suitable extinguishing media Dry chemical. Water spray. Foam.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from the chemical Not available

Protective equipment for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Hydrogen chloride. Oxides of carbon.

Explosion data

Sensitivity to mechanical impact Not available

Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use. Large Spills: Wet down with water and dike for later disposal. After removal flush contaminated area thoroughly with water.

7. Handling and Storage

Handling

Use good industrial hygiene practices in handling this material. Do not get this material in your eyes, on your skin, or on your clothing.

Storage

Keep out of the reach of children. Store in a closed container away from incompatible materials. Store containers upright and closed.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

8. Exposure Controls / Personal Protection

Exposure limits	
Ingredient(s)	Exposure Limits
Alcohols, C12-16, ethoxylated	ACGIH-TLV Not established OSHA-PEL Not established
Ethoxylated aliphatic amines	ACGIH-TLV Not established OSHA-PEL Not established
Hydrogen chloride	ACGIH-TLV Ceiling: 2 ppm OSHA-PEL Ceiling: 5 ppm
Engineering controls	General ventilation normally adequate.
Personal protective equipment	
Eye / face protection	Wear chemical goggles. Emergency responders should wear full eye and face protection.
Hand protection	Rubber gloves. Confirm with a reputable supplier first. Emergency responders should wear impermeable gloves.
Skin and body protection	Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Clear.
Color	Blue
Form	Liquid
Odor	Wintergreen
Odor threshold	Not available
Physical state	Liquid
pH	< 1 (Acidic)
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	> 200 °F (> 93.33 °C) Tagliabue
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Octanol/water coefficient	Not available
Solubility (H2O)	Complete
Viscosity	Viscous

10. Stability and Reactivity

Reactivity	This product may react with strong alkalies.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals. Reacts violently with alkaline material. This product may react with reducing agents. Fumes are corrosive to metal. DO NOT MIX WITH BLEACH or use in conjunction with other household products.
Incompatible materials	Bases. Reducing agents.
Hazardous decomposition products	May include and are not limited to:

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Alcohols, C12-16, ethoxylated	Not available
Ethoxylated aliphatic amines	Not available
Hydrogen chloride	935 ppm mouse; 3124 mg/l/4h rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Alcohols, C12-16, ethoxylated	1380 mg/kg rat
Ethoxylated aliphatic amines	620 mg/kg rat
Hydrogen chloride	900 mg/kg rabbit; 700 mg/kg rat

Effects of acute exposure

Eye	Causes irreversible eye damage.
Skin	Causes burns. Not expected to be a skin sensitizer.
Inhalation	Do not breathe vapor or fumes. Use only in a well ventilated area.
Ingestion	Harmful or fatal if swallowed.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.
ACGIH - Threshold Limit Values - Carcinogens	
Hydrogen chloride	7647-01-0 A4 - Not Classifiable as a Human Carcinogen
IARC - Group 3 (Not Classifiable)	
Hydrogen chloride	7647-01-0 Monograph 54 [1992]
Mutagenicity	The finished product is not expected to have chronic health effects.
Reproductive effects	The finished product is not expected to have chronic health effects.
Teratogenicity	The finished product is not expected to have chronic health effects.
Name of Toxicologically Synergistic Products	Not available

12. Ecological Information

Ecotoxicity	Bulk quantities, if spilled, may be toxic to aquatic organisms, fish, birds and mammals. Control and clean up all exterior spills and prevent liquid from entering any streams, rivers, lakes and all other bodies of water.
Ecotoxicity - Freshwater Fish - Acute Toxicity Data	
Hydrogen chloride	7647-01-0 96 Hr LC50 Gambusia affinis: 282 mg/L [static]
Persistence / degradability	Not available
Bioaccumulation / accumulation	Not available
Mobility in environmental media	Not available
Environmental effects	Not available

Aquatic toxicity	Not available
Partition coefficient	Not available
Chemical fate information	Not available

13. Disposal Considerations

Disposal instructions	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1760 - Corrosive Liquid, N.O.S. (Hydrochloric Acid, Hydroxyethyl alkylamine), Class 8, PG II, Limited Quantity

Transportation of Dangerous Goods (TDG - Canada)

UN 1760 - Corrosive Liquid, N.O.S. (Hydrochloric Acid, Hydroxyethyl alkylamine), Class 8, PG II, Limited Quantity

IMDG (Marine Transport)

UN 1760 - Corrosive Liquid, N.O.S. (Hydrochloric Acid, Hydroxyethyl alkylamine), Class 8, PG II, Limited Quantity

UN 1760 - Corrosive Liquid, N.O.S. (Hydrochloric Acid, Hydroxyethyl alkylamine), Class 8, PG II

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Product Registration: Registered with EPA, EPA Reg. No. 777-81-675

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Hydrogen chloride 7647-01-0 5000 Lb final RQ; 2270 kg final RQ

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

Hydrogen chloride 7647-01-0 5000 Lb EPCRA RQ (gas only)

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

Hydrogen chloride 7647-01-0 500 Lb TPQ (gas only)

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Hydrogen chloride 7647-01-0 1.0 % de minimis concentration (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

U.S. - CWA (Clean Water Act) - Hazardous Substances

Hydrogen chloride 7647-01-0 Present

CERCLA (Superfund) reportable quantity

Hydrogen chloride: 5000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Hazardous substance

State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Hydrogen chloride 7647-01-0 Present

U.S. - Illinois - Toxic Air Contaminants

Hydrogen chloride 7647-01-0 Present (aerosol)

U.S. - Louisiana - Reportable Quantity List for Pollutants

Hydrogen chloride 7647-01-0 5000 Lb RQ (applies to unauthorized emissions based on total mass emitted into or onto all media within any consecutive 24-hour period); 1000 lb RQ (applies to unauthorized emissions based on total mass emitted into the atmosphere)

U.S. - Massachusetts - Right To Know List

Hydrogen chloride 7647-01-0 Extraordinarily hazardous

U.S. - Minnesota - Hazardous Substance List

Hydrogen chloride 7647-01-0 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Hydrogen chloride 7647-01-0 sn 1012

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Hydrogen chloride 7647-01-0 5000 Lb RQ (air); 100 lb RQ (land/water)

U.S. - North Carolina - Control of Toxic Air Pollutants

Hydrogen chloride 7647-01-0 0.7 mg/m3 (acute irritants)

U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities

Hydrogen chloride 7647-01-0 500 Lb TQ (gas only)

U.S. - Pennsylvania - RTK (Right to Know) List

Hydrogen chloride 7647-01-0 Environmental hazard

U.S. - Rhode Island - Hazardous Substance List

Hydrogen chloride 7647-01-0 Toxic; Flammable

U.S. - Texas - Tier II Chemical Reporting - Extremely Hazardous Substances - Reportable Quantities

Hydrogen chloride 7647-01-0 5000 Lb RQ

U.S. - Texas - Tier II Chemical Reporting - Extremely Hazardous Substances - Threshold Planning Quantities

Hydrogen chloride 7647-01-0 500 Lb TPQ (gas)

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

FORMULA NUMBER:
V15-1541, 933-087, 1107-019B, 1200-016A, 1200-016B

UPC CODES:
19200 83108 (28 fl.oz.), 36241 20663 (32 fl.oz.), 36241 83101 (6 pack of 28 fl.oz.), 36241 77283 (4 pack of 32 fl.oz.), 36241 74278 (12 pack of 32 fl.oz.)

Issue date

02-Sep-2011

Effective date

01-Sep-2011

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.