

1. Product and Company Identification

Product Name LYSOL® Power & Free™ Multi-Purpose Cleaner (Pourable) - All Scents
CAS # Mixture


This MSDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure, in accordance with requirements of the U.S. Government's Occupational Safety and Health Administration (OSHA).
This MSDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulation.

Product Use Multi-Purpose Cleaner

Distributed by Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-338-6167
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 1
Flammability	1
Physical Hazard	0
Personal Protection	B



2. Hazards Identification

Emergency overview Do not mix with any other chemicals.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

Eyes

Slightly irritating to the eyes.

Skin

Slightly irritating to the skin. Not expected to be a skin sensitizer.

Inhalation

None expected during normal conditions of use.

Ingestion

Health injuries are not known or expected under normal use.

Target organs

Eyes. Respiratory system. Skin.

Chronic effects

The finished product is not expected to have chronic health effects.

Signs and symptoms

Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

OSHA Regulatory Status

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects

See section 12.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Dipropylene glycol monobutyl ether	29911-28-2	1 - 2.5
Citric Acid	77-92-9	0.1 - 1
Hydrogen peroxide	7722-84-1	0.1 - 1

4. First Aid Measures

First aid procedures

Eye contact	Check for and remove any contact lenses. If in eyes, IMMEDIATELY rinse eyes with water for at least 15 minutes. Get medical attention immediately.
Skin contact	Get medical attention immediately. In case of contact, immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash clothing before reuse.
Inhalation	Move exposed person to fresh air. Get medical attention immediately.
Ingestion	Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting.

Notes to physician

Treat patient symptomatically.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	Not flammable by OSHA criteria.
Extinguishing media	
Suitable extinguishing media	Treat for surrounding material.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters. Inform the relevant authorities if the product has caused environmental pollution.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and Storage

Handling	Ensure adequate ventilation. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Avoid contact with skin and clothing. Avoid contact with eyes. Avoid breathing vapors or mists of this product. Do not ingest. Keep container tightly closed. Wash thoroughly after handling. Do not mix with other chemicals. For surfaces that come in contact with food rinse with water. Use only on hard non-porous surfaces and rinse thoroughly with water. Does not harm most surfaces. Rinse bathtub / shower surfaces with water after using product. Do not use on eating/cooking utensils, glasses/dishes or cookware, unfinished, oiled or waxed wood floors. On painted surfaces, test a small inconspicuous area first. This product is not recommended for use on marble, brass, acrylic plastic or finished wood surfaces.
-----------------	--

Storage

Store in original container in areas inaccessible to small children.
 Keep securely closed. Store in a closed container away from incompatible materials.
 Store in original container, protected from direct sunlight, in a dry, cool, well ventilated area, and away from food and drink.
 Do not freeze.
 Store at room temperature.
 Store upright to prevent product leakage.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Citric Acid	ACGIH-TLV Not established OSHA-PEL Not established
Dipropylene glycol monobutyl ether	ACGIH-TLV Mist: 10 mg/m3 OSHA-PEL Not established
Hydrogen peroxide	ACGIH-TLV TWA: 1 ppm OSHA-PEL TWA: 1 ppm

Engineering controls

General ventilation normally adequate.

Personal protective equipment

Consult the product label for special protection or precautions that have been identified for using this product under directed consumer use conditions. The following recommendations are given for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure.

Eye / face protection

Not required under normal use conditions. Safety glasses with side-shields or full eye & face protection should be worn if risk assessment indicates this is necessary for the workplace or emergency responders.

Hand protection

Not required under normal use conditions. Chemical resistant, impervious gloves should be worn if risk assessment indicates this is necessary for the workplace or emergency responders.

Skin and body protection

As required by employer code.
 Usual safety precautions while handling the product will provide adequate protection against injury or irritation.
 Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.
 When using do not eat or drink.
 Wash hands before breaks and immediately after handling the product.
 Avoid contact with eyes.

9. Physical and Chemical Properties

Appearance	Liquid
Color	Clear
Form	aqueous solution
Odor	Various
Odor threshold	Not available
Physical state	Liquid
pH	2.1 - 3.5
Freezing point	Not available

Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	> 199.94 °F (> 93.3 °C) Closed Cup
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	1.000 - 1.005
Octanol/water coefficient	Not available
Solubility (H2O)	Complete

10. Stability and Reactivity

Reactivity	This product may react with oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not freeze. Exposure to moisture. Keep away from extreme heat. DO NOT MIX WITH BLEACH or use in conjunction with other household products.
Incompatible materials	Caustics. Acids. Oxidizers. CORROSIVE TO METALS
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Citric Acid	Not available
Dipropylene glycol monobutyl ether	Not available
Hydrogen peroxide	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Citric Acid	5040 mg/kg mouse; 3000 mg/kg rat
Dipropylene glycol monobutyl ether	3700 mg/kg rat
Hydrogen peroxide	75 mg/kg rat; 2000 mg/kg mouse

Effects of acute exposure

Eye	Slightly irritating to the eyes.
Skin	Slightly irritating to the skin. Not expected to be a skin sensitizer.
Inhalation	None expected during normal conditions of use.
Ingestion	Health injuries are not known or expected under normal use.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.
Mutagenicity	The finished product is not expected to have chronic health effects.
Reproductive effects	The finished product is not expected to have chronic health effects.
Teratogenicity	The finished product is not expected to have chronic health effects.

12. Ecological Information

Ecotoxicity

See below

Ecotoxicity - Freshwater Algae - Acute Toxicity Data

Hydrogen peroxide 7722-84-1 72 Hr EC50 Chlorella vulgaris: 2.5 mg/L

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Citric Acid 77-92-9 96 Hr LC50 Lepomis macrochirus: 1516 mg/L [static]

Dipropylene glycol monobutyl ether 29911-28-2 96 Hr LC50 Poecilia reticulata: 841 mg/L [static]

Hydrogen peroxide 7722-84-1 96 Hr LC50 Pimephales promelas: 16.4 mg/L; 96 Hr LC50 Lepomis macrochirus: 18-56 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 10.0-32.0 mg/L [static]

Ecotoxicity - Water Flea - Acute Toxicity Data

Citric Acid 77-92-9 72 Hr EC50 Daphnia magna: 120 mg/L

Hydrogen peroxide 7722-84-1 24 Hr EC50 Daphnia magna: 7.7 mg/L; 48 Hr EC50 Daphnia magna: 18 - 32 mg/L [Static]

Persistence / degradability Not available

Bioaccumulation / accumulation Not available

Mobility in environmental media Not available

Environmental effects Not available

Aquatic toxicity Not available

Partition coefficient Not available

Chemical fate information Not available

13. Disposal Considerations

Disposal instructions

Dispose in accordance with all applicable regulations.
Do not reuse container. Rinse container and offer for recycling where facilities exist.

Waste from residues / unused products

Not available

Contaminated packaging

Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1760, Corrosive liquids, n.o.s. (Citric acid, Hydrogen peroxide),
Class 8, PG III, Limited Quantity

Transportation of Dangerous Goods (TDG - Canada)

UN 1760, CORROSIVE LIQUID, N.O.S. (CITRIC ACID, HYDROGEN PEROXIDE),
Class 8, PG III, Limited Quantity

IMDG (Marine Transport)

UN 1760, CORROSIVE LIQUID, N.O.S. (Citric acid, Hydrogen peroxide),
Class 8, PG III, Limited Quantity

IATA/ICAO (Air)

UN 1760, Corrosive liquid, n.o.s. (Citric acid, Hydrogen peroxide), Class 8, PG III

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Product Registration: Product is compliant with CPSC regulatory guidelines; a specific registration is not required for this product.

U.S. - CAA (Clean Air Act) - Reactivity Factors for VOCs in Aerosol Coatings

Dipropylene glycol monobutyl ether 29911-28-2 1.96 G Ozone/g VOC Reactivity Factor

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

Hydrogen peroxide 7722-84-1 1000 Lb EPCRA RQ (concentration >52%)

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

Hydrogen peroxide 7722-84-1 1000 Lb TPQ (concentration >52%)

CERCLA (Superfund) reportable quantity

Methanol: 5000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

Clean Water Act (CWA) Not available

State regulations This product is not subject to warning labeling under the California Proposition 65 regulation.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Hydrogen peroxide 7722-84-1 Present

U.S. - Massachusetts - Right To Know List

Hydrogen peroxide 7722-84-1 Extraordinarily hazardous

U.S. - Minnesota - Hazardous Substance List

Hydrogen peroxide 7722-84-1 Present (including Hydrogen peroxide [90%])

U.S. - New Jersey - Right to Know Hazardous Substance List

Hydrogen peroxide 7722-84-1 sn 1015

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Hydrogen peroxide 7722-84-1 1 Lb RQ (air); 1 Lb RQ (land/water)

U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities

Hydrogen peroxide 7722-84-1 500 Lb TQ (concentration >52%)

U.S. - Pennsylvania - RTK (Right to Know) List

Hydrogen peroxide 7722-84-1 Environmental hazard (concentration >52%); Present

U.S. - Rhode Island - Hazardous Substance List

Hydrogen peroxide 7722-84-1 Toxic; Flammable

U.S. - Texas - Tier II Chemical Reporting - Extremely Hazardous Substances - Reportable Quantities

Hydrogen peroxide 7722-84-1 1000 Lb RQ

U.S. - Texas - Tier II Chemical Reporting - Extremely Hazardous Substances - Threshold Planning Quantities

Hydrogen peroxide 7722-84-1 1000 Lb TPQ (concentration >52%)

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

LYSOL® Power & Free™ Multi-Purpose Cleaner (Pourable) - Citrus Sparkle, 28 oz - 8081863v1.0

LYSOL® Power & Free™ Multi-Purpose Cleaner (Pourable) - Oxygen Splash, 28 oz - 8081862v1.0

Issue date

23-May-2013

Effective date

15-May-2013

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.