



DAZZLE BURNISHING CREAM

For Resilient Tile, Marble & Stone Floors

Enhance Burnishing creme is designed for use on all floors which can be buffed or burnished with high speed machines. DAZZLE BURNISHING CREAM penetrates, cleans, restores and rejuvenates floors in one operation creating a tough, durable "Thermal Shield of Shine."

Excellent for use on resilient, stone, terrazzo, marble, granite slate or other natural floors.

Best results are obtained when at least three coats of our buffable seals and finish products are used as a base.

Works well on hard-to-coat natural stone floors with or without a seal coat.

Application: Apply a short stream of DAZZLE BURNISHING CREAM in front of machine. Spread, buff and burnish floor using burnish pad. A short stream will clean, polish and restore approximately 600-1200 square feet. An optional method is to apply small drops on floor and then buff and burnish.

DIRECTIONS:

PAD TYPE: red, white, beige, yellow hair

MACHINE TYPE: Electric, battery or propane. Works at any speed. Best results are obtained at speeds above 1,000 rpm.

1. Dust mop the floor, and while doing so remove all gummed labels and chewing gum.
2. Apply a 3" long stream of ENHANCE BURNISHING CREAM Burnishing Creme in front of machine and spread over an area approximately 600-1200 sq. ft. This will clean and polish in one operation.
3. Dust mop again to remove all the dried soil deposits.

RECOMMENDED USES:


- Resilient Floors
- With Any Buffing Pad or Machine
- Natural or Stone Floors
- As a Base on Hard-to-Coat Floors

BENEFITS:

- Cleans, Shines, Protects
- Brilliant, Durable, Deep Shine
- Resists Scratches, Scuffs and Marking
- Slip Resistant
- Versatile
- Economical
- Can Be Recoated

TECHNICAL DATA:

Appearance.....Opaque, Thick Creme
 OdorCitrus
 Viscosity2,000 cps
 Slip Resistance.....Exceeds .5 coefficient of friction as measured on the James Machine after buffing
 FilmClear, flexible film
 Removability.....Selective Stripper (Emulsifier)
 Black Mark ResistanceExcellent
 Slip Resistance.....Excellent
 Biodegradability.....Complete



SOLD EXCLUSIVELY BY:



Wausau, WI 54402
(800) 826-4405


To Reorder: 1-888-722-5508
or visit www.cleanfreak.com

1091/10-25-2006



HAZARD RATING

4-EXTREME
3-HIGH
2-MODERATE
1-SLIGHT



MATERIAL SAFETY DATA SHEET

(Prepared according to 29 CFR 1910.1200)

Date Prepared: 10-24-06

SECTION 1 - PRODUCT IDENTIFICATION

| | | | |
|--------------------|--|---------------------------|--|
| Company Name | PTI - Packaging Tape Inc | Emergency Telephone No. | 1-800-535-5053 |
| Address | 4900 W. Stewart Avenue, Wausau, WI 54402 | Information Telephone No. | 1-800-826-4405 |
| Product Name / ID# | Dazzle (1091) | Product Type | Burnishing Creme <input checked="" type="checkbox"/> Proprietary Product |

SECTION 2 - HAZARDOUS INGREDIENTS

| Chemical Name/Common Name | Cas No. | Percent (optional) | TLV (Source) |
|---------------------------|---------|--------------------|--------------|
| None | | | |
| | | | |
| | | | |
| | | | |

* Substances Contains no substances - subject to the reporting requirements of SARA 313 and 40 CFR Part 372.

SECTION 3 - PHYSICAL DATA

| | | | | | | | |
|--|---------------------------------|--|---|--|--|---------------|---------|
| Boiling Point (°F) | 212°F | Specific Gravity (H ₂ O=1.0) | 1.008 ± 0.005 | pH | 9.5 ± 0.5 | % VOC (ww) | 0.50% |
| Solubility In Water | Unknown | <input checked="" type="checkbox"/> Complete | <input type="checkbox"/> Insoluble | <input type="checkbox"/> Emulsifiable or (Dispersible) | <input type="checkbox"/> Slight (or Partial) | | |
| Evaporation Rate (vs H ₂ O) | <input type="checkbox"/> Faster | <input checked="" type="checkbox"/> Slower | <input type="checkbox"/> About the Same | Vapor Pressure | Unknown | Vapor Density | Unknown |

Appearance and Odor Clear, viscous liquid, citrus odor.

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

| | | | | | | |
|----------------------------------|---|------------------|-------|----|-------|----|
| Flash Point (T.C.C.) | <input checked="" type="checkbox"/> None to boiling | Flammable Limits | Upper | NA | Lower | NA |
| Extinguishing Media | NA | | | | | |
| Special Fire Fighting Procedures | NA | | | | | |
| Unusual Fire Explosion Hazards | NA | | | | | |

SECTION 5 - REACTIVE DATA

| | | | |
|----------------------------------|--------|-----------------|------|
| Stability | Stable | Incompatibility | None |
| Hazardous Decomposition Products | None | | |

SECTION 6 - HEALTH HAZARDS

| | | | | | | | |
|--|--|---|-------------------------------|--|--|--|-------------------------------------|
| Threshold Limit Value Product See Section 2 for Ingredients TLV | <input checked="" type="checkbox"/> None Established | <input type="checkbox"/> Not Applicable | Primary routes of Exposure | <input checked="" type="checkbox"/> Eyes | <input checked="" type="checkbox"/> Skin | <input checked="" type="checkbox"/> Oral | <input type="checkbox"/> Inhalation |
| Signs Symptoms of Over-exposure (Acute) | Burning sensation and irritation to the eyes. Prolonged skin contact may cause irritation. May cause gastro intestinal irritation if swallowed. | | | | | | |
| Signs Symptoms of Over-exposure (Chronic) | Unknown | | | | | | |
| Medical Conditions Aggravated by Over-exposure | Unknown | | | | | | |
| Carcinogen/Suspected Carcinogen Ingredients: | <input type="checkbox"/> NTP | <input type="checkbox"/> IARC | <input type="checkbox"/> OSHA | <input checked="" type="checkbox"/> None | | | |

SECTION 7 - FIRST AID PROCEDURES - (If any Condition persists - Consult a physician.)

| | |
|------------|--|
| Eyes | Flush with water for 10-15 minutes. If irritation persists, see a physician. |
| Skin | Wash with water for 5-10 minutes. Remove any contaminated clothing and wash before reuse. |
| Ingestion | Give large quantities of water to dilute contents. Get medical attention if irritation persists. |
| Inhalation | NA |

SECTION 8 - SPECIAL PROTECTION INFORMATION

| | | | |
|---------------------------|--|-------------------------------------|--|
| Respiratory Protection | None | | |
| Ventilation requirements | <input type="checkbox"/> Local Exhaust | <input type="checkbox"/> Mechanical | Normal ventilation should be adequate. |
| Protective Gloves | Rubber gloves if prolonged contact. | Eye Protection | Safety goggles |
| Other Protective Clothing | None | | |

SECTION 9 - SPILL OR LEAK PROCEDURES

| | |
|--|---|
| Steps to be Taken if Released or Spilled | Mop up, rinse with water. |
| Waste Disposal Methods | Flush into sanitary sewer system. Check all government regulations. |

SECTION 10 - STORAGE AND HANDLING INFORMATION

| | |
|---|--|
| Precautions to be Taken in handling and Storage | Store so as to inaccessible to children. |
|---|--|