

SECTION IV - FIRST AID INFORMATION
<p>Emergency and First Aid Procedures: Inhalation: Remove to fresh air. Ingestion: Dilute with fluids and treat symptomatically. Eye Contact: Rinse well with water for at least 15 minutes. Skin: Rinse with water.</p> <p>Other:</p> <p>US Product Package: Consumer product packages have a caution statement: FRONT PANEL: CAUTION: CONTENTS UNDER PRESSURE. Read back panel carefully. BACK PANEL: CAUTION: Intentional misuse by deliberately concentrating and inhaling pressurized product may be harmful or fatal KEEP OUT OF REACH OF CHILDREN. Do not spray towards face. If eye contact occurs, rinse well with water. If irritation persists, get medical attention. Do not expose to heat or open flame or store at temperatures above 120 F. Dispose properly. Do not puncture or incinerate container.</p> <p>Canadian Product Package: FRONT PANEL: CAUTION: CONTENTS UNDER PRESSURE. BACK PANEL: CAUTION: CONTAINER MAY EXPLODE IF HEATED. Do not puncture. Do not burn. Store away from heat. KEEP OUT OF REACH OF CHILDREN. Do not spray towards face. If eye contact occurs, rinse well with water.</p>

SECTION V - FIRE FIGHTING INFORMATION
<p>Flash Point (Method Used): >> 55 °–58°C / 131-137° F (cc)</p> <p>Explosive Limits: LEL: N/A UEL: N/A</p> <p>Extinguishing Media: Use CO₂, water, or dry chemical.</p> <p>Special Fire Fighting Procedures: N/A</p> <p>Unusual Fire Hazards: N/A</p> <p>Stability <i>Unstable:</i> <i>Conditions to Avoid:</i> None <i>Stable:</i> X</p> <p>Incompatibility (Materials to Avoid): None known</p> <p>Hazardous Decomposition/By Products: None known</p> <p>Hazardous Polymerization: <i>May Occur:</i> <i>Conditions to Avoid:</i> None <i>Will Not Occur:</i> X</p>

SECTION VI - ACCIDENTAL RELEASE MEASURES
<p>Personal Precautions: None</p> <p>Environmental Precautions: DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL REGULATIONS. Collect liquid and incinerate. Puncture container and landfill.</p> <p>Steps To Be Taken in Case Material is Released or Spilled: Use water spray to dilute and/or wash away spills to avoid exposure and to protect persons working to stop/repair leak. Any spills are to be prevented from entering waterways. Sorbents may be used.</p>

SECTION VII - HANDLING AND STORAGE
<p>Precautions To Be Taken in Handling and Storing: Store at room temperature. Avoid temperatures above 43 °C / 110F</p> <p>Other Precautions: None</p>

