


1. Product and Company Identification

Product Name Professional Lysol® Disinfectant Foam Cleaner for Multiple Surfaces (Aerosol)
UPC CODES Refer to section 16
CAS # Mixture
Product use Disinfectant
Distributed by Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-228-4722
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 2
Flammability	1
Physical Hazard	0
Personal Protection	B



2. Hazards Identification

Emergency overview

This product is regulated by the US EPA as a disinfectant.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F or in sun or discarding can in fire or incinerator may cause bursting.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

Eyes

May cause eye irritation. Avoid eye contact.

Skin

May cause skin irritation. Avoid skin contact.
 Not expected to be a skin sensitizer.

Inhalation

None expected during normal conditions of use.

Ingestion

None expected during normal conditions of use.

Target organs

Skin. Eyes. Respiratory system.

Chronic effects

The finished product is not expected to have chronic health effects.

Signs and symptoms

Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	2.5 - 10
Isobutane	75-28-5	2.5 - 10
Tetrasodium ethylenediamine tetraacetate	64-02-8	2.5 - 10
Didecyl Dimethyl Ammonium Chloride	Not Applicable	0 - 0.1
Diocetyl Dimethyl Ammonium Chloride	Not Applicable	0 - 0.1
Octyl Decyl Dimethyl Ammonium Chloride	Not Applicable	0 - 0.1

4. First Aid Measures

First aid procedures

Eye contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

Inhalation

Remove to fresh air.

Ingestion

Rinse mouth with water. Contact a physician or poison control center if symptoms persist. NEVER give an unconscious person anything to ingest.

Notes to physician

Symptoms may be delayed. Treat patient symptomatically.

General advice

Do not puncture or incinerate container. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

5. Fire Fighting Measures

Flammable properties

Aerosol flame extension less than 18 inches (45 cm).

Extinguishing media**Suitable extinguishing media**

Water spray. Foam. Dry chemical. Carbon dioxide.

Unsuitable extinguishing media

Not available

Protection of firefighters**Specific hazards arising from the chemical**

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Explosion data**Sensitivity to mechanical impact**

Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite. Wipe up with absorbent material (e.g. cloth, fleece).

7. Handling and Storage

Handling	CAUTION May cause eye irritation. Avoid contact with eyes, skin and clothing. Contents under pressure. When using do not eat or drink.
Storage	Always replace cap after use. Do not contaminate water, food or feed by use or storage. Store in original container in areas inaccessible to small children. Do not use or store near heat or open flame. Do not reuse container. Exposure to temperatures above 120°F or in sun or discarding can in fire or incinerator may cause bursting. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Didecyl Dimethyl Ammonium Chloride	ACGIH-TLV Not established OSHA-PEL Not established
Diocetyl Dimethyl Ammonium Chloride	ACGIH-TLV Not established OSHA-PEL Not established
Ethanol, 2-(2-butoxyethoxy)-	ACGIH-TLV Not established OSHA-PEL Not established
Isobutane	ACGIH-TLV TWA: 1000 ppm OSHA-PEL Not established
Octyl Decyl Dimethyl Ammonium Chloride	ACGIH-TLV Not established OSHA-PEL Not established
Tetrasodium ethylenediamine tetraacetate	ACGIH-TLV Not established OSHA-PEL TWA: 15 mg/m3

Engineering controls

General ventilation normally adequate.

Personal protective equipment

Eye / face protection

Not normally required when used as directed.
Emergency responders should wear full eye and face protection.

Hand protection

For sensitive skin or prolonged use, wear rubber gloves.
Emergency responders should wear impermeable gloves.

Skin and body protection

As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Appearance	Foamy Spray
Color	White.
Form	Spray
Odor	Various
Odor threshold	Not available
Physical state	Gas
pH	12.35 (Basic)
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	> 200 °F (> 93.33 °C) Tag Closed Cup
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	34 - 40 psig @ 70°F
Vapor density	> 1
Specific gravity	1.01 - 1.04
Octanol/water coefficient	Not available
Solubility (H₂O)	Miscible
VOC (Weight %)	Not available
Viscosity	Not available
Percent volatile	Not available

10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Aerosol containers are unstable at temperatures above 49°C (120.2°F). DO NOT MIX WITH BLEACH or use in conjunction with other household products. Excessive heat.
Incompatible materials	Oxidizers. Acids.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Didecyl Dimethyl Ammonium Chloride	Not available
Diocetyl Dimethyl Ammonium Chloride	Not available
Ethanol, 2-(2-butoxyethoxy)-	Not available
Isobutane	658 mg/l/4h rat
Octyl Decyl Dimethyl Ammonium Chloride	Not available
Tetrasodium ethylenediamine tetraacetate	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Didecyl Dimethyl Ammonium Chloride	Not available
Dioctyl Dimethyl Ammonium Chloride	Not available
Ethanol, 2-(2-butoxyethoxy)-	2000 mg/kg guinea pig; 3384 mg/kg rat; 2200 mg/kg rabbit
Isobutane	Not available
Octyl Decyl Dimethyl Ammonium Chloride	Not available
Tetrasodium ethylenediamine tetraacetate	2000 mg/kg rat

Effects of acute exposure

Eye	May cause eye irritation. Avoid eye contact.
Skin	May cause skin irritation. Avoid skin contact. Not expected to be a skin sensitizer.
Inhalation	None expected during normal conditions of use.
Ingestion	None expected during normal conditions of use.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.
Mutagenicity	The finished product is not expected to have chronic health effects.
Reproductive effects	The finished product is not expected to have chronic health effects.
Teratogenicity	The finished product is not expected to have chronic health effects.
Synergistic Materials	Not available

12. Ecological Information

Ecotoxicity Bulk quantities, if spilled, may be toxic to aquatic organisms, fish, birds and mammals. Control and clean up all exterior spills and prevent liquid from entering any streams, rivers, lakes and all other bodies of water.

Ecotoxicity - Freshwater Algae Data

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	96 Hr EC50 Desmodesmus subspicatus: >100 mg/L
Tetrasodium ethylenediamine tetraacetate	64-02-8	72 Hr EC50 Desmodesmus subspicatus: 1.01 mg/L

Ecotoxicity - Freshwater Fish Species Data

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	96 Hr LC50 Lepomis macrochirus: 1300 mg/L [static]
Tetrasodium ethylenediamine tetraacetate	64-02-8	96 Hr LC50 Lepomis macrochirus: 41 mg/L [static]; 96 Hr LC50 Pimephales promelas: 59.8 mg/L [static]

Ecotoxicity - Water Flea Data

Ethanol, 2-(2-butoxyethoxy)-	112-34-5	24 Hr EC50 Daphnia magna: 2850 mg/L; 48 Hr EC50 Daphnia magna: >100 mg/L
Tetrasodium ethylenediamine tetraacetate	64-02-8	24 Hr EC50 Daphnia magna: 610 mg/L

Environmental effects	Not available
Aquatic toxicity	Not available
Persistence / degradability	Not available
Bioaccumulation / accumulation	Not available
Partition coefficient	Not available
Mobility in environmental media	Not available
Chemical fate information	Not available

13. Disposal Considerations

Waste codes	Not available
Disposal instructions	Review federal, state and local government requirements prior to disposal. Do not reuse empty container. Replace cap and discard in trash. Do not incinerate or puncture.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1950, Aerosols, Class 2.1, Re-classed as
Consumer Commodity ORM-D

Transportation of Dangerous Goods (TDG - Canada)

UN 1950, Aerosols, Class 2.1, Re-classed as
Consumer Commodity/ LTD. QTY.

IMDG (Marine Transport)

UN 1950, Aerosols, Class 2.1, Limited Quantity

IATA/ICAO (Air)

UN1950, Aerosols, Flammable, Limited Quantity

15. Regulatory Information

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

Product Registration: Registered with EPA, EPA Reg. No. 777-71-675

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - Yes
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - Massachusetts - Right To Know List

Isobutane 75-28-5 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Isobutane 75-28-5 sn 1040

U.S. - Pennsylvania - RTK (Right to Know) List

Isobutane 75-28-5 Present

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information 36241-02775-9 - Professional LYSOL® Disinfectant Foam Cleaner for Multiple Surfaces (Aerosol) - 24 oz. - 0074422

Issue date 09-Jul-2010

Effective date 30-Jun-2010

Prepared by Reckitt Benckiser Regulatory Department 800-333-3899