Safety Data Sheet

Issue Date 04-Dec-2012

Revision Date: 18-Jan-2015

Version 1.0

| 1. IDENTIFICATION | | |
|--|--|------------|
| Product Identifier Product Name | Bright Solutions Fireball | |
| Other Means of Identification Product Code | BSL5100012 / BSL5100041 /BSL5100055 | |
| Recommended Use of the Chemica | I and Restrictions on Use | |
| Recommended Use | Cleaner/ degreaser RTU. For industrial use. | |
| Details of the Supplier of the Safety Bright Solutions 140 Private Brand Way Athens, TN 37303 | <u>/ Data Sheet</u> | |
| Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr) | Phone: 1-800-467-6294 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America) | |
| | 2. HAZARDS IDENTIFICATION | |
| Appearance Yellow | Physical State Liquid | Odor Lemon |
| <u>Classification</u> | | |

| Skin corrosion/irritation. | Category 2 |
|------------------------------------|-------------|
| Serious eye damage/eye irritation. | Category 2A |

Signal Word Warning

Hazard Statements

Causes skin irritation. Causes serious eye irritation.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.

SPECIFIC TREATMENT: Remove from exposure and treat symptoms.

Precautionary Statements - Storage

No other specific measures identified.

Precautionary Statements - Disposal

No other specific measures identified.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-----------------------------|------------|----------|
| Water | 7732-18-5 | 60-100 |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | 1-5 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

| 4. FIRST-AID MEASURES | | | | |
|---|--|--|--|--|
| First Aid Measures | | | | |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical attention/advice if irritation persists. | | | |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. | | | |
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. | | | |
| Ingestion | Rinse mouth. Drink plenty of water. Do not induce vomiting. If any discomfort persists, obtain medical attention. | | | |
| Most Important Symptoms and Effects | | | | |
| Symptoms | May cause painful stinging or burning of eyes and lids, watering of eyes. Prolonged contact may cause skin irritation. | | | |
| Indication of any Immediate Med | ical Attention and Special Treatment Needed | | | |
| Notes to Physician | Treat symptomatically. | | | |
| 5. FIRE-FIGHTING MEASURES | | | | |
| Suitable Extinguishing Media Water spray (fog), Carbon dioxide (CO2), Dry chemical, Foam | | | | |

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

- Methods for Containment Prevent further leakage or spillage if safe to do so.
- Methods for Clean-Up Collect spillage. Collect in a clean, dry waste container for disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

| Advice on Safe Handling | Wash thoroughly after handling. Use personal protection recommended in Section 8. Do |
|-------------------------|--|
| | not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with eyes. Observe good |
| | industrial hygiene practices. |

Conditions for Safe Storage, Including Any Incompatibilities

| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Keep from freezing. |
|------------------------|---|
| Incompatible Materials | Strong acids. Oxidizing agents. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|-----------|----------|------------|
| None Listed | | | |

Appropriate Engineering Controls

| Engineering Controls | Ventilation systems. |
|----------------------|----------------------|
|----------------------|----------------------|

Individual Protection Measures, such as Personal Protective Equipment

| Eye/Face Protection | Eye protection should be used when splashing may occur. | |
|--------------------------|--|--|
| Skin and Body Protection | Wear protective gloves when handling this product. | |
| Respiratory Protection | No protection is ordinarily required under normal conditions of use and with adequate ventilation. | |

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| Physical State Appearance Color | Liquid Clear Yellow | Odor Odor Threshold | Lemon Not determined |
|---|--|------------------------|-------------------------|
| <u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range | <u>Values</u> 12.0-12.5 ~ 0 ℃ / ~32 ℉ ~ 100 ℃ / ~212 ℉ | Remarks • Method | |
| Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity | Not applicable Not determined n/a-liquid Not determined Not determined Not determined Not determined 1.02 | Tag Open Cup | |
| Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties | Completely soluble Not determined Not determined Not determined Not determined Not determined Not determined Not determined | @ 25 ℃ (77 ℉) | |

Oxidizing Properties

Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

Strong acids. Oxidizers.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

| Product Information | |
|---------------------|----------------------------------|
| Eye Contact | Avoid contact with eyes. |
| Skin Contact | Avoid contact with skin. |
| Inhalation | Avoid breathing vapors or mists. |
| Ingestion | Do not taste or swallow. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--------------------|-------------------|-----------------|
| Alcohols, C9-11 ethoxylated 68439-46-3 | = 1378 mg/kg (Rat) | > 2 g/kg (Rabbit) | - |

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity

Not classifiable as a human carcinogen.

Numerical Measures of Toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|--|----------------------|---------------------------------------|-------------------------------|-------------------------|
| Alcohols, C9-11 ethoxylated 68439-46-3 | - | 8.5mg/L (96HR) Pimephales promelas | - | 5.3 mg/L (48hr) Daphnia |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

<u>Mobility</u>

Not determined.

Other Adverse Effects

Not determined.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

| Disposal of Wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. | | | |
|---------------------------|---|--|--|--|
| Contaminated Packaging | Disposal should be in accordance with applicable regional, national and local laws and regulations. | | | |
| 14. TRANSPORT INFORMATION | | | | |
| DOT | Not regulated | | | |
| IATA | Not regulated | | | |
| IMDG | Not regulated | | | |
| | | | | |

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

CERCLA

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------|--------------------------|----------------|--------------------------|
| Potassium hydroxide | 1000 lb | | RQ 1000 lb final RQ |
| 1310-58-3 | di 0001 | | RQ 454 kg final RQ |

SARA 311/312 Hazard Categories

Acute Health Hazard

Yes

<u>SARA 313</u>

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-------------------------------|----------|----------|----------------------------------|
| Ethylene Glycol n-Butyl Ether | 111-76-2 | 0.1-1 | 1.0 |

CWA (Clean Water Act)

| Component | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Potassium Hydroxide 1310-58-3 | 1000 lb | | | x |

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name

State List

Bright Solutions Fireball

Revision Date: 18-Jan-2015

| Potassium Hydroxide 1310-58-3 | MA, NJ, PA |
|---|------------|
| Ethylene Glycol n-Butyl Ether 111-76-2 | MA, NJ, PA |

AZ- Arizona Ambient Air Quality GuidelinesIL – Illinois Toxic Air Contaminate- CarcinogenicCT- Connecticut Hazardous Air PollutantsMA – Massachusetts Right to Know ListCA- California Director's List of Hazardous SubstancesMN – Minnesota Hazardous Substances ListCAP65- California Prop65NJ – New Jersey Right to Know ListFL- Florida Substances ListPA – Pennsylvania Right to Know ListID- Idaho Non-Carcinogen Toxic Air PollutantsRI – Rhode Island Hazardous Substances List

16. OTHER INFORMATION

| <u>NFPA</u> HMIS | Health Hazards Not determined Health Hazards 2 | Flammability Not determined Flammability 0 | Instability Not determined Physical Hazards 0 | Special Hazards Not determined Personal Protection Not determined |
|------------------------------|---|---|--|--|
| Issue Date Revision Date: | 04-Dec-2012 18-Jan-2015 | | | |

New format Version 1.0

Disclaimer

Revision Note

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet