HOT Prepared by: Regulatory Affairs Dept.	MATERIAL SAFETY (Prepared Acco	T DATA SHE		Effective	N/A=Not Applicable e Date: 1/09 Revision: n/a
	-PRODUCT IDENTIFICA	8	,		
Manufacturer's Name:	Product Name: Hot Sho		Supplier's		
Misco Products Corporation	Generic Name: Heavy D	outy No Rinse Spe			
Manufacturer's Address:	Stripper		Supplier's	s Address:	
1048 Stinson Drive Reading, PA 19605 Manufacturer's Phone #: (610) 926-4106	Chemical Family: Solve	nt Detergent Blen	d Supplier's	Phone #•	
Wanuacturer ST none #. (010) 920-4100	Formula: Proprietary		Supplier	s 1 none <i>π</i> .	
	SECTION 2-INGRED				
CHEMICAL NAME	CAS NO. 7732-18-5	WT. %	PEL	TWA-TI	LV STEL-TLV
Water 2-Butoxyethanol	111-76-2	to 100 40 to 50	25 ppm	25 ppm	N/A
Ethanolamine	141-43-5	0 to 5	N/A	$8 \text{mg/M}^3$	N/A
Potassium Hydroxide	1310-58-3	0 to 5	N/A	C2mg/M <sup>3</sup>	3 N/A
Nonionic Surfactant	9016-45-9	0 to 5		-	
Potassium Fluoroalkyl Carboxylate (C8)	2991-51-7	0 to 5			
Perfume Oils	N/A	< 1			· · · · ·
SECTION 3-PHYSIC					ION HAZARD DATA
Boiling Point (°F): 210 F. Spec	Flash Point (Method Used): 145 F. (TCC)				
Vapor Pressure: 20mm Hg @ 68 F. Vapor	Upper Explosion Limit: 10.6 Lower Explosion Limit: 1.1				
% Volatile: 96+ pH: 1	<b>Extinguishing Media:</b> Alcohol foam, water fog, CO <sub>2</sub> or dry chemical.				
Solubility in Water: Complete Evap Physical Description: Thin liquid with characterist	<b>Special Firefighting Procedures:</b> Wear self-contained breathing apparatus for confined areas. Keep fire exposed containers cool with water spray.				
r hysical Description: Thin inquid with characteris	she odol.		Fire and Explosion H		
	SECTION 5-RE			und up of the post	
Stability: Stable			lymerization: None		
Hazards Decomposition Products: Alkaline vapo	ors in a fire.		ty (Materials to Avoid	): Strong acids	s.
	ECTION 6-STORAGE AND	· · · ·		<i>, , , , , , , , , ,</i>	
WARNING: Severe eye and skin irritant. Avoid co				ootwear when	handling. Avoid breathing of
vapors. Combustible liquid- Avoid contact with he					
away when applying to floor. Keep container clos					
SECTION 7-HEALTH HAZARD	S AND FIRST AID	SECT	ION 8-SPECIAL P	ROTECTIC	<b>INFORMATION</b>
Effects of Overexposure:		Respiratory P	rotection: Use NIOSH	approved org	anic vapor respirator or self-
Skin: Severe skin irritant. May cause moderate rec	Idening, swelling, and possible	contained brea	thing apparatus in conf	ined or poorly	ventilated areas.
skin damage.			•	mechanical ex	haust to keep TLV of Section 2
Eyes: Severe eye irritant. Liquid and mists may da	mage eyes, causing corneal		ow acceptable limits.		
damage.			oves: Chemical resistan		
<b>Inhalation:</b> Vapors and mists may be irritating to	<b>Eye Protection:</b> Chemical splash goggles or full-face shield. <b>Other Protective Equipment:</b> Eye wash station nearby. Protective outerwear and				
throat, and lungs. <b>Ingestion:</b> Irritating and corrosive to the mouth an	d throat. May cause headache		hould be worn when us		arby. Protective outerwear and
nausea, abdominal pain, vomiting, and diarrhea. E		Tubber boots si	nould be worth when us	ing.	
collapse.					
First Aid Procedures:			SECTION 9-SPILL	OR LEAK P	ROCEDURES
Skin: Flush with water. Seek medical attention if i	rritation persists.	Steps to be tak	en in Case Material is l	Released or Sp	illed: Floors will become slippery
Eyes: Contact damage is immediate. Immediately	Avoid walking in product. Keep unessential personnel away. Mop up or otherwise absort				
water, holding eyelids open. Seek medical attentio	and hold disposal. Avoid discharge to sewer or open waterways. Waste Disposal Method: Any method in accordance with local, state and federal laws. Best				
Inhalation: Get to fresh air. Seek medical attentio	1				carded, this material and container
Ingestion: Do not induce vomiting. Drink large qu	antities of water. Seek medical				eristic of corrosivity and ignitabilit
attention immediately.		as defined under federal RCRA regulations (40 CFR 261).Consult local authorities for			
			thoroughly before discardi		n drain, stream, river or to ground
	SECTION 10-REGUL		<i></i>	ng m trasn.	
SARA Title III - Section 311/312 -Hazard	Categories: Shipping Inf	ormation:			IMIS Hazardous Materials
No - Fire Hazard			Compounds, cleaning	g liquid, <b>I</b>	dentification System
No - Sudden Release of Pressure Hazard	(Potassium H	ydroxide), 8, NA	A-1760, PG III	H	lealth
No - Reactivity Hazard		-	S: Compounds, cleanin	g liquid, F	lammability
Yes - Immediate (acute) Health Hazard			760, PG III (Limited Qu		Reactivity
Yes - Delayed (chronic) Health Hazard	FOR CONTAI	NERS < 1 GALLO	ON : ORM-D	Р	ersonal Protection
<b>OR EMERGENCY MEDICAL OR TRANSPO</b> his product contains the following toxic chemical( f 1986 and of 40 CFR 372.				7 days per we anning and Co	
CAS#	Chemical Name		Perce	ent by Weight	
111-76-2	Glycol Ether		46%		
This product contains the following chemical(s) whi	ch have been established to be eit	her a carcinogen o	or suspected carcinogen	l <b>.</b>	
CAS#	Chemical Name		Perce	ent by Weight	
	None				
	SECTION 11-OTH	ER INFORMA	TION		

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. This company will accept no liability for damages or loss incurred from the improper handling and use of this product