

# SAFETY DATA SHEET

Issue Date 09-Sep-2015

Revision Date 08-Jan-2015

Version 1

# **1. PRODUCT AND COMPANY IDENTIFICATION**

<u>Product identifier</u> Product Name	White Lotion Hand Soap		
<u>Other means of identification</u> Product Code Synonyms	N391 None		
Details of the supplier of the safet	y data sheet		
Company Name	Nyco Products Company 5332 Dansher Road Countryside, IL 60525 (708) 579-8100 nycoproducts.com		
Emergency telephone number Emergency Telephone	Chemtrec 1-800-424-9300		
2. HAZARDS IDENTIFICATION			

**Classification** 

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified

Label elements

## **Emergency Overview**

Appearance White Emulsion

Physical state Liquid

Odor Fresh Orchard

## **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific Treatment (See Section 4 on the SDS)

Hazards not otherwise classified (HNOC)			
Other Information			
· Harmful to aquatic life with long lastir	ng effects		
Harmful to aquatic life			
Unknown Acute Toxicity	0.02313883% of the mixture consists of ingredient(s) of unknown toxicity		
-			

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Cocamide DEA	68603-42-9	.1-1	*
Cocamidopropyl Betaine	61789-40-0	.1-1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES			
First aid measures			
Skin Contact	Wash off immediately with plenty of water. Wash skin with soap and water.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Inhalation	Remove to fresh air.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and ef	fects, both acute and delayed		
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media			

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

No Information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective equipment and emergency procedures				
Personal precautions	Ensure adequate ventilation, especially in confined areas.			
Environmental precautions				
Environmental precautions	See Section 12 for additional ecological information.			
Methods and material for containment and cleaning up				
Methods for containmentPrevent further leakage or spillage if safe to do so.				
Methods for cleaning up Pick up and transfer to properly labeled containers.				
7. HANDLING AND STORAGE				

Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.			
Conditions for safe storage, includ	ing any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.			
Incompatible materials	None known based on information supplied.			

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Stearate 111-60-4	TWA: 10 mg/m <sup>3</sup> except stearates of toxic metals	-	-
Glycerin 56-81-5	-	TWA: 15 mg/m <sup>3</sup> mist, total particulate TWA: 5 mg/m <sup>3</sup> mist, respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> mist, total particulate (vacated) TWA: 5 mg/m <sup>3</sup> mist, respirable fraction	-
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³
Diethanolamine 111-42-2	TWA: 1 mg/m³ inhalable fraction and vapor S*	(vacated) TWA: 3 ppm (vacated) TWA: 15 mg/m <sup>3</sup>	TWA: 3 ppm TWA: 15 mg/m³
Formaldehyde 50-00-0	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm unless specified in 1910.1048 (vacated) STEL: 10 ppm 30 min unless specified in 1910.1048 (vacated) Ceiling: 5 ppm unless specified in 1910.1048 STEL: 2 ppm see 29 CFR 1910.1048	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses if handling large volume.

Skin and body protection No special technical protective measures are necessary.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

# General Hygiene Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state	
Appearance	
Color	
Odor	
Odor threshold	

Liquid White Emulsion White Fresh Orchard No Information availabl

## Property pН . Specific Gravity Viscosity Melting point/freezing point Flash point Boiling point / boiling range **Evaporation rate** Flammability (solid, gas) Flammability Limits in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Water solubility Partition coefficient Autoignition temperature **Decomposition temperature**

## **Other Information**

Density Lbs/Gal VOC Content (%) Fresh Orchard No Information available Values 7.0 - 8.0

1.03 > 1000 cP @ 25°C No Information available None 100 °C / 212 ° F Degrees No Information available No data available

No Information available No Information available No Information available No Information available Complete No Information available No Information available No Information available Remarks • Method

8.56 0.05899

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Extremes of temperature and direct sunlight. <u>Incompatible materials</u> None known based on information supplied. <u>Hazardous Decomposition Products</u> None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	May cause eye irritation. May be harmful if swallowed	
Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.	
Eye contact	Avoid contact with eyes. May cause irritation.	
Skin Contact	Prolonged or repeated contact may dry skin and cause irritation. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.	
Ingestion	May cause gastro intestinal irritation.	

Chemical Name	Oral LD5	0	Dermal LD50	Inhalation LC50	
Cocamide DEA 68603-42-9	= 12400 µL/kg	(Rat)	-	-	
Cocamidopropyl Betaine 61789-40-0	= 4900 mg/kg	(Rat)	-	-	
Information on toxicolog	ical effects				
Symptoms	No Informatio	n available.			
Delayed and immediate e	ffects as well as chronic	effects from short ar	d long-term exposur	<u>e</u>	
Sensitization	No Informatio				
Germ cell mutagenicity	No Informatio		ash aganay has listed	any ingradiant on a corainagan	
Carcinogenicity				any ingredient as a carcinogen.	
	Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.				
Chemical Name	ACGIH	IARC	NTP	OSHA	
Cocamide DEA 68603-42-9	-	Group 2B	-	X	
Group 2B - Possibly Card OSHA (Occupational Sa	ncy for Research on Cance inogenic to Humans fety and Health Administrat		nt of Labor)		
X - Present					
STOT - single exposure	roductive toxicity No Information available.				
STOT - Single exposure	No Information available. No Information available.				
STOT - repeated exposu					
STOT - repeated exposur Chronic toxicity	e No Informatio	n available.	productive toxin only w	hen consumed as an alcoholic	
STOT - repeated exposur Chronic toxicity	e No Informatio Ethanol has	n available. been shown to be a rep		hen consumed as an alcoholic ong-term studies only when	
Chronic toxicity	e No Informatio Ethanol has beverage. Eth consumed as	n available. been shown to be a rep nanol has been shown alcoholic beverage.			
	e No Informatio Ethanol has beverage. Eth	n available. been shown to be a rep nanol has been shown alcoholic beverage.			
Chronic toxicity	re No Informatio Ethanol has beverage. Eth consumed as No Informatio	n available. been shown to be a rep nanol has been shown alcoholic beverage. n available.			
Chronic toxicity Aspiration hazard	re No Informatio Ethanol has beverage. Eth consumed as No Information oxicity - Product Information	n available. been shown to be a rep nanol has been shown alcoholic beverage. n available.	o be carcinogenic in k	ong-term studies only when	

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

4.62964% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Chloride 7647-14-5	-	5560 - 6080: 96 h Lepomis macrochirus mg/L LC50 flow-through 6420 - 6700: 96 h Pimephales promelas mg/L LC50 static 4747 - 7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12946: 96 h Lepomis macrochirus mg/L LC50 static 6020 - 7070: 96 h Pimephales promelas mg/L LC50 static 7050: 96 h Pimephales promelas mg/L LC50 semi-static	340.7 - 469.2: 48 h Daphnia magna mg/L EC50 Static 1000: 48 h Daphnia magna mg/L EC50
Cocamide DEA	-	3.6: 96 h Brachydanio rerio mg/L	4.2: 24 h Daphnia magna mg/L
68603-42-9		LC50 semi-static	EC50
Cocamidopropyl Betaine 61789-40-0	0.55: 96 h Desmodesmus subspicatus mg/L EC50 1.0 - 10.0: 72 h Desmodesmus subspicatus mg/L EC50	1.0 - 10.0: 96 h Brachydanio rerio mg/L LC50 2: 96 h Brachydanio rerio mg/L LC50 semi-static	6.5: 48 h Daphnia magna mg/L EC50
Glycerin	-	51 - 57: 96 h Oncorhynchus mykiss	500: 24 h Daphnia magna mg/L
56-81-5		mL/L LC50 static	EC50
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus	10800: 24 h Daphnia magna mg/L
64-17-5		mykiss mL/L LC50 static 100: 96 h	EC50 9268 - 14221: 48 h Daphnia

	1		
		Pimephales promelas mg/L LC50	magna mg/L LC50 2: 48 h Daphnia
		static 13400 - 15100: 96 h	magna mg/L EC50 Static
		Pimephales promelas mg/L LC50	
		flow-through	
Diethanolamine	7.8: 72 h Desmodesmus	4460 - 4980: 96 h Pimephales	55: 48 h Daphnia magna mg/L
111-42-2	subspicatus mg/L EC50 2.1 - 2.3:	promelas mg/L LC50 flow-through	EC50
	96 h Pseudokirchneriella	600 - 1000: 96 h Lepomis	
	subcapitata mg/L EC50	macrochirus mg/L LC50 static 1200	
		- 1580: 96 h Pimephales promelas	
		mg/L LC50 static	
Formaldehyde	-	41: 96 h Brachydanio rerio mg/L	2: 48 h Daphnia magna mg/L LC50
50-00-0		LC50 static 100 - 136: 96 h	11.3 - 18: 48 h Daphnia magna
		Oncorhynchus mykiss mg/L LC50	mg/L EC50 Static
		static 1510: 96 h Lepomis	-
		macrochirus µg/L LC50 static 22.6 -	
		25.7: 96 h Pimephales promelas	
		mg/L LC50 flow-through 23.2 - 29.7:	
		96 h Pimephales promelas mg/L	
		LC50 static 0.032 - 0.226: 96 h	
		Oncorhynchus mykiss mL/L LC50	
		flow-through	

# Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Other adverse effects

No Information available

# **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and **Disposal of wastes** regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	<b>RCRA - U Series Wastes</b>
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040,	-	U122
50 00 0		K156, K157		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

Not regulated

TDG

Not regulated

# International Inventories **TSCA** DSL/NDSL

# **15. REGULATORY INFORMATION**

Complies Complies DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

## US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Cocamide DEA - 68603-42-9	Carcinogen	
Ethanol - 64-17-5	Carcinogen	
	Developmental	
Diethanolamine - 111-42-2	Carcinogen	
Formaldehyde - 50-00-0	Carcinogen	

# Warning: This product contains a chemical known in the State of California to cause birth defects or other reproduction harm:

## Chemical Name(s):

Acetic acid, 2,2,-dichloro-, Methanol

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Glycerin 56-81-5	Х	Х	Х
Ethanol 64-17-5	Х	X	Х
Diethanolamine 111-42-2	Х	X	Х
Formaldehyde 50-00-0	Х	X	Х

## U.S. EPA Label Information

**Revision Note** 

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazards 0	Flammability 0	Instability 0	Physical and Chemical Properties Yes
HMIS	Health hazards 0	Flammability 0	Physical hazards 0	Personal protection A
Issue Date Revision Date	09-Sep-2015 08-Jan-2015			

No Information available

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**